mr steam

Safety Data Sheet

Issue Date: 01-Nov-2018 Revision Date: 02-Nov-2018 Version 1

1. IDENTIFICATION

Product identifier

Product Name OIL, EVERGREEN

Other means of identification

SDS# MS-OIL3

UN/ID No UN1993

Recommended use of the chemical and restrictions on use

Recommended Use Fragrance and Air Freshener for Steam Rooms, Saunas, etc.

Details of the supplier of the safety data sheet

Supplier Address MR STEAM 43-20 34th Street

Long Island City, NY 11101

Emergency telephone number

Company Phone Number Emergency Telephone

General Information Telephone: 1-718-937-4500 INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear liquid Physical state Liquid Odor Evergreen

Classification

Flammable liquids Category 3

Signal Word Warning

Flammable liquid and vapor



Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Use explosion-proof equipment

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Proprietary Alcohol	Proprietary	Proprietary

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. If skin irritation persists, call a physician.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center

if individual's condition declines or if symptoms persist.

Ingestion Rinse mouth thoroughly with water. Do NOT induce vomiting. If conscious give large

amounts of water. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed

Symptoms May cause eye irritation. Ingestion may cause nausea, vomiting, dizziness, and headache.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Alcohol resistant foam.

Small Fire Dry chemical.

Unsuitable Extinguishing Media Water jet.

Specific Hazards Arising from the Chemical

Flammable liquid and vapor.

Explosion Data

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate area of unprotected personnel. Remain upwind of fire to avoid hazardous vapors and decomposition products. Use water spray to keep fire-exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Keep away from heat/sparks/open

flames/hot surfaces. — No smoking. Ventilate affected area.

For Emergency Responders Follow applicable OSHA regulations (29 CFR 1910.120).

Environmental precautions

Environmental precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Soak up with inert absorbent material

(e.g. sand, silica gel, acid binder, universal binder, sawdust).

Methods for Clean-Up

Use non-sparking hand tools and explosion-proof electrical equipment. Sweep up absorbed

material and shovel into suitable containers for disposal. For waste disposal, see section 13

of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink, smoke, or apply cosmetics while handling this

product. Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Ground/bond container and receiving equipment. Use explosion proof equipment. Use non-sparking tools. Take precautionary measures against static discharges. Use personal protection recommended in Section 8. Wash face, hands and any exposed skin thoroughly

after handling.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep container tightly closed and store in a cool, dry and well-ventilated place.

Incompatible Materials Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Proprietary Alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	-

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Ensure

adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses as a minimum for protection. Refer to 29 CFR 1910.133 for eye and face

protection regulations.

Skin and Body Protection Wear protective gloves and protective clothing. Reference Wiley's "Quick Selection Guide

to Chemical Protective Clothing". Refer to 29 CFR 1910.138 for appropriate skin and body

protection.

Respiratory Protection Not normally needed under proper conditions of use. Refer to 29 CFR 1910.134 for

respiratory protection requirements.

General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before

eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before

reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateLiquidAppearanceClear liquidOdorEvergreenColorClearOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

PH Not determined
Melting point / freezing point
Boiling point / boiling range
Not determined
Not determined

Flash point 90

Evaporation Rate Not determined Flammability (Solid, Gas) Not determined

Flammability Limit in Air

Upper flammability or explosive Not determined

limits

Lower flammability or explosive Not determined

limits

Vapor Pressure Not determined Vapor Density Not determined

Relative Density Not determined **Water Solubility** Soluble in water Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** Not determined **Decomposition temperature** Not determined Kinematic viscosity Not determined **Dynamic Viscosity** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Explosive Properties

Oxidizing Properties

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Not determined

Not determined

Conditions to Avoid

Contact with incompatible materials. Excessive heat, sparks and flames.

Incompatible materials

Oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact May cause temporary irritation on eye contact.

Skin Contact Not expected to be a skin irritant during prescribed use.

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation

hazard.

Ingestion May cause nausea, vomiting, stomach ache, and diarrhea.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary Glycol	= 14850 mg/kg(Rat)	> 20 mL/kg(Rabbit)	-
Proprietary Alcohol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
Proprietary Oil	= 2480 mg/kg (Rat)	= 2480 mg/kg(Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The ingredient in this product is only classified as a carcinogen when consumed as an

alcoholic beverage in long-term studies.

Chemical name	ACGIH	IARC	NTP	OSHA
Proprietary Alcohol	A3	Group 1	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

Oral LD50 8,665.50 mg/kg **Dermal LD50** 10,012.10 mg/kg ATEmix (inhalation-dust/mist) 291.00 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Proprietary Glycol		5000: 24 h Carassius auratus mg/L	
		LC50 static	
Proprietary Alcohol		13400 - 15100: 96 h Pimephales	10800: 24 h Daphnia magna mg/L
		promelas mg/L LC50 flow-through	EC50 9268 - 14221: 48 h Daphnia
		12.0 - 16.0: 96 h Oncorhynchus	magna mg/L LC50 2: 48 h Daphnia
		mykiss mL/L LC50 static 100: 96 h	magna mg/L EC50 Static
		Pimephales promelas mg/L LC50	
		static	

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient	
Proprietary Alcohol	-0.32	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Proprietary Alcohol	Toxic
. ,	Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

<u>U</u>N/ID No UN1993

Proper Shipping Name Flammable liquid, n.o.s. (ethanol, pine oil)

Hazard class 3
Packing Group III

IATA

UN number UN1993

Proper Shipping Name Flammable liquid, n.o.s. (ethanol, pine oil)

Transport hazard class(es) 3
Packing Group III

<u>IMDG</u>

UN number UN1993

Proper Shipping Name Flammable liquid, n.o.s. (ethanol, pine oil)

Transport hazard class(es) 3
Packing Group III

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Proprietary Glycol	Х	Х	Х	Х	Х	Х	Х	Х
Proprietary Alcohol	Х	Х	Х	Х	Х	Х	Х	Х
Proprietary Oil	Х	Х			Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Not determined

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals. Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical name	California Proposition 65	
Proprietary Alcohol -	Carcinogen	
	Developmental	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Proprietary Glycol			Х
Proprietary Alcohol	X	X	Х

16. OTHER INFORMATION

NFPA_	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical hazards	Personal Protection
	Not determined	Not determined	Not determined	Not determined

Issue Date:01-Nov-2018Revision Date:02-Nov-2018Revision Note:New product

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet